

	3	(C adj shap\$6) near4 (lamp luminaire) and (backlight back adj light) and (diffusing light) adj (guide bar plate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/01 14:59
	74	((U C) adj shap\$6) near4 (lamp luminaire) and (backlight back adj light) and (diffusing light) near3 (guide bar plate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/01 15:01
	17	((curve\$4 bent) near3 shap\$6) near4 (lamp luminaire) and (backlight back adj light) and (diffusing light) near3 (guide bar plate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/01 14:45
	22	((curve\$4 bent) near3 shap\$6) near4 (lamp luminaire) and (backlight back adj light) and (diffusing light) near3 (guide bar plate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/01 14:45
	22	((curve\$4 bent) near3 shap\$6) near4 (lamp luminaire) and (((curve\$4 bent) near3 shap\$6) near4 (lamp luminaire) and (backlight back adj light) and (diffusing light) near3 (guide bar plate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/01 15:01
	10	((U C) adj shap\$6) near4 (lamp luminaire) and (backlight back adj light) and (diffusing light) near3 (guide bar plate) not ((U C) adj shap\$6) near4 (lamp luminaire) and (backlight back adj light) and (diffusing light) near3 (guide bar plate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/01 14:50
	10	((U C) adj shap\$6) near4 (lamp luminaire) and (((U C) adj shap\$6) near4 (lamp luminaire) and (backlight back adj light) and (diffusing light) near3 (guide bar plate) not (((U C) adj shap\$6) near4 (lamp luminaire) and (backlight back adj light) and (diffusing light) near3 (guide bar plate)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/01 14:54
	2	6494586.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/01 14:54
	1	6494586.pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/01 14:54
	0	6494586.URPN.	USPAT	2004/05/01 14:54
	5	("4729067" "5038227" "5781311" "6185011" "6339418").PN.	USPAT	2004/05/01 14:54
	4	(C adj shap\$6) near4 (lamp luminaire) and (diffusing light) adj (guide bar plate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/01 14:59
	4	(C adj shap\$6) near4 (lamp luminaire) and (diffusing light) adj (guide bar plate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/01 15:00
	9	(bow\$5) near4 (lamp luminaire) and (diffusing light) adj (guide bar plate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/01 15:00
	1	(bow) with (lamp luminaire) and (backlight back adj light) and (diffusing light) near3 (guide bar plate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/01 15:07

-	64	(circul\$5 lunette) with (lamp luminaire) and (backlight back adj light) and (diffusing light) near3 (guide bar plate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/01 15:14
-	204	(arc arcuate) with (lamp luminaire) and (backlight back adj light) and (diffusing light) near3 (guide bar plate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/01 15:14
-	184	(arc arcuate) near5 (lamp luminaire) and (backlight back adj light) and (diffusing light) near3 (guide bar plate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/01 15:14
-	254	(arc arcuate) near5 (lamp luminaire) and (backlight back adj light) and (diffusing light) near3 (guide bar plate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/01 15:15
-	222	(arc arcuate) near4 (lamp luminaire) and (backlight back adj light) and (diffusing light) near3 (guide bar plate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/01 15:16
-	222	(arc arcuate) near4 (lamp luminaire) and ((arc arcuate) near4 (lamp luminaire) and (backlight back adj light) and (diffusing light) near3 (guide bar plate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/01 15:16
-	10	(arc arcuate) near5 shap\$6 near4 (lamp luminaire) and ((arc arcuate) near4 (lamp luminaire) and (backlight back adj light) and (diffusing light) near3 (guide bar plate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/01 15:16
-	11	(arc arcuate) near5 shap\$6 near7 (lamp luminaire) and ((arc arcuate) near4 (lamp luminaire) and (backlight back adj light) and (diffusing light) near3 (guide bar plate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/01 15:17
-	274	(arc arcuate) with (lamp luminaire) and (backlight back adj light) and (diffusing light) near3 (guide bar plate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/01 15:18
-	14	(arc arcuate) near5 shap\$6 near7 (lamp luminaire) and ((arc arcuate) with (lamp luminaire) and (backlight back adj light) and (diffusing light) near3 (guide bar plate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/01 15:25
-	4	(arch) with (lamp luminaire) and (backlight back adj light) and (diffusing light) near3 (guide bar plate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/01 15:27
-	4	(arch) with (lamp luminaire) and ((arch) with (lamp luminaire) and (backlight back adj light) and (diffusing light) near3 (guide bar plate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/01 15:24
-	0	(serpentine) with (lamp luminaire) and ((arch) with (lamp luminaire) and (backlight back adj light) and (diffusing light) near3 (guide bar plate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/01 15:24
-	3	(serpentine) near5 shap\$6 near7 (lamp luminaire) and ((arc arcuate) with (lamp luminaire) and (backlight back adj light) and (diffusing light) near3 (guide bar plate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/01 15:26

		0	(wavy) near5 shap\$6 near7 (lamp luminaire) and ((arc arcuate) with (lamp luminaire) and (backlight back adj light) and (diffusing light) near3 (guide bar plate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/01 15:26
		0	(lunar) near5 shap\$6 near7 (lamp luminaire) and ((arc arcuate) with (lamp luminaire) and (backlight back adj light) and (diffusing light) near3 (guide bar plate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/01 15:26
		214	(serpentine wav\$6) with (lamp luminaire) and (backlight back adj light) and (diffusing light) near3 (guide bar plate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/01 15:27
		17	(serpentine) with (lamp luminaire) and (backlight back adj light) and (diffusing light) near3 (guide bar plate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/01 15:27
		1	cho-guang-sup.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/01 16:05
		4	6674250.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/01 16:05
		1	6674250.pn.	USPAT	2004/05/01 16:58
		1	5949505.pn.	USPAT	2004/05/01 16:26
		1	5949505.pn. and bright\$6 same edge	USPAT	2004/05/01 16:26
		1	5949505.pn. and bright\$6 same corner	USPAT	2004/05/01 16:35
		1	5949505.pn. and bend\$6 same corner	USPAT	2004/05/01 16:40
		1	5949505.pn. and (polarizer polarizor) and light near2 (guide plate)	USPAT	2004/05/01 16:41
		0	5949505.pn. and (polarizer polarizor) same light near2 (guide plate)	USPAT	2004/05/01 16:41
		1	6674250.pn. and (ccfl cold adj cathode adj fluorescent)	USPAT	2004/05/01 16:58
		0	("313").CLAS.	USPAT; US-PGPUB	2004/05/01 17:13
		1	("0000313").PN.	USPAT; US-PGPUB	2004/05/01 17:13
		0	("313").CLAS.	USPAT; US-PGPUB	2004/05/01 17:13
		0	("313").CLAS.	USPAT; US-PGPUB	2004/05/01 17:13
	54790	54790	("313").CLAS.	USPAT; US-PGPUB	2004/05/01 17:16
		81	((("313").CLAS.) and (cold adj cathode adj fluorescent adj lamp ccfl))	USPAT; US-PGPUB	2004/05/01 17:17
		25	((("313").CLAS.) and (cold adj cathode adj fluorescent adj lamp ccfl).ab,ti,clm.)	USPAT; US-PGPUB	2004/05/01 17:30
		470	(313/485).CCLS.	USPAT; US-PGPUB	2004/05/01 17:30
		841	(313/493).CCLS.	USPAT; US-PGPUB	2004/05/01 17:31
		0	(313/693).CCLS.	USPAT; US-PGPUB	2004/05/01 17:31
		0	(313/693).CCLS.	USPAT; US-PGPUB	2004/05/01 17:32
		1059	(313/634).CCLS.	USPAT; US-PGPUB	2004/05/01 17:32
		4	lin-ching-huang.in. huang-hua-nan.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 19:42
		0	6674250.URPN.	USPAT	2004/09/02 20:04
		749	((313/485,493,634) or (362/31) or (349/65)).CCLS.	US-PGPUB	2004/09/02 20:18

-	3267	((313/485,493,634) or (362/31) or (349/65)).CCLS.	USPAT	2004/09/02 20:44
-	0	((313/485,493,634) or (362/31) or (349/65)).CCLS.) and light adj guiding same (concav\$6) near3 lamp	USPAT; US-PGPUB	2004/09/02 20:36
-	4	light adj guiding same (concav\$6) near3 lamp	USPAT; US-PGPUB	2004/09/02 20:37
-	3	light adj guiding same (concav\$6) near3 (envelope vessel bulb tube)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 20:39
-	33	light adj guiding same (concav\$6 diameter radius) near3 (envelope vessel bulb tube)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 20:39
-	333	((313/485,493,634) or (362/31) or (349/65)).CCLS.) and concave	USPAT;	2004/09/02 20:44
-	114	((313/485,493,634) or (362/31) or (349/65)).CCLS.) and concave with (envelope tube bulb vessel lamp)	USPAT; US-PGPUB	2004/09/02 20:44
-	76	((313/485,493,634) or (362/31) or (349/65)).CCLS.) and concave near6 (envelope tube bulb vessel lamp)	USPAT; US-PGPUB	2004/09/02 20:44
-	466	(362/216).CCLS.	USPAT; US-PGPUB	2004/09/03 14:00
-	542	(349/65).CCLS.	USPAT; US-PGPUB	2004/09/03 14:46
-	131	(349/70).CCLS.	USPAT; US-PGPUB	2004/09/03 15:18
-	187	(362/561).CCLS.	USPAT; US-PGPUB	2004/09/03 16:21
-	49	light adj guid\$6 adj plate and (envelope tube lamp bulb vessel) near3 (curv\$5 concave)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 17:31
-	1557	(362/31).CCLS.	USPAT; US-PGPUB	2004/09/03 17:32
-	634	((362/31).CCLS.) and (light adj guid\$6) AND (lamp bulb vessel envelope tube)	USPAT; US-PGPUB	2004/09/03 17:33